

Government of India
Ministry of Commerce & Industry
Department of Commerce
Directorate General of Supplies & Disposals

Digitally signed By:
ASHISHAN TIRKEY
Email id:
ashishantirkey.dgsnd@nic.in

Page 1

Telephone : Office of Director Quality Assurance,
Fax : Ayakar Bhavan Annexe, 1st Floor,
Telegram : New Marine Lines,
E-Mail : Mumbai-20
Website : <http://dgsnd.gov.in> Mumbai-400020

REGISTRATION CERTIFICATE

To Dated :14-JUL-2016

M/s **KRUNAL ENGINEERING WORKS**(Supplier Code : 04561)
krunal cmpound,sarve no 285,ganpati pada,viatwa,kalwa east
thane
400605

Ref:- Your Application No. KEW/DGS&D/2015/46 Dated :02-JUN-2016

Dear Sir,

Your request for registration with Directorate General of Supplies & Disposals (DGS&D) has been accepted and your name has been included in the list of registered suppliers as per details given hereunder and in the attached **Schedule**.

Registration No. : DGS&D/Regn/**MUM/S-5818/16/04561** Valid upto : As indicated Workwise

Category of registration : Manufacturer Whether SSI Unit : Yes

Name of the firm : KRUNAL ENGINEERING WORKS

Office Address, E-Mail ID, Telephone nos.

a) Registered Office

krunal cmpound,sarve no 285,ganpati
pada,viatwa,kalwa east
thane
02225348333
fireteks@gmail.com

b) Corporate/Head Office

krunal cmpound,sarve no 285,ganpati
pada,viatwa,kalwa east
thane
02225348333
fireteks@gmail.com

c) Correspondence Address

krunal cmpound,sarve no 285,ganpati
pada,viatwa,kalwa east
thane
02225348333
fireteks@gmail.com

Date of incorporation : 18-MAR-1996

Constitution of the firm : Proprietorship

Name of Managing Director/Partner/Proprietor

1 k v salvi

Permanent Account No.(PAN): ATZPS3148K

Annual Turnover	:Year	Rs.(In Lacs)	
	2014-2015	1718	With Profit
	2013-2014	1668	With Profit
	2012-2013	1640	With Profit

Monetry Limit (Rs.) : Without any limit

The registration is subject to Conditions of Registration as enclosed and as prescribed by DGS&D from time to time. Stores will be offered for customer's testing and inspection at the premises specified in the Schedule. This Certificate is to be produced only in full and complete with amendments if any. Please quote your registration no. in all future correndondence with DGS&D.

Yours faithfully,

[]
Deputy Director (Registration)
for Director General of Supplies & Disposals

Schedule to Registration No. MUM/S-5818/16/04561

Dated : 14-JUL-2016

S.No Works Name & Address

Validity : 13-JUL-2019

1 krunal engineering works

krunal compound sarve no
285,ganpati pada,vitawa,kalwa east
thane

02253483333

0225413661

Sales tax registration No. 27060551069

Date : 12-JUN-2006

CST registration No. 27060551069

Date : 12-JUN-2006

Excise Duty Registration No. ATZPS3148KEM001

Authority Mumbai

S.No	Description of Stores	Governing Specification/ Eligibility Criteria	Make/ Brand	Prod.Capacity/ Dt.of Approval
1	Portable Fire Extinguishers As Per IS Specification	Specification : Portable Fire Extinguisher ISI marked to IS: 15683:2006 with amdt. no.1 to 4 and meeting the general technical requirements.		800 nos of assorted items. 14-JUL-2016
2	Charge of Fire Extinguishers As Per Defence Specification	Specification : 1 Schedule Charge of Fire Extinguishers (Def) Rate/Unit 1. K-7/4210-001121 Charge, Fire Ext., Mechanical Foam, 9 Ltrs. Plain type Aqueous Film Foaming Foam (AFFF -550 Ml.) IND/CQAFE/PROV/0152(d)- 2007 2. K-7/4210-000021 Charge, Fire Ext. Dry Powder, 10 Kg. (Dry Chemical Powder 10 Kg.) IND/CQAFE/PROV/0123(c)- 2005 3. K-7/4210 - 000546 Charge, Fire Ext., Water Type (Gas Pressure) Carbon Dioxide(CO2) Gas Cartridge, 90 gm. (a)JSS-4210-19-2007 (Revision NO.1)with amendment No.1-2008 (b)Connected Drg. No. JSSD-4210-05/06 4. K-7/4210 - 001126 Charge Fire Ext.		800 nos of assorted items. 14-JUL-2016

Mechanical Foam 9 litres
Plain / High Altitude &
Sub Zero temp.conditions
CO2 Gas Cartridge- 120
gm.

a)JSS-4210-22-2004 with
amdt. 1-2006 and amdt.
No.2-2008
(b) Connected Drg.No.
JSSD-4210-05/06

5. K-7/4210-000022
Charge, Fire Ext. Dry
Powder, Carbon Dioxide
Gas Cartridge, 200 gm.
(a)JSS -4210-05-2005
(Rev. No. 3)With
amendment No.1-2008
(b)Connected Drg. no.
JSSD-4210-05/06

6. K7/4210-000744 Foam
Protein Liquid for Fire
Fighting in 20 Litre
Container
IND/CQAFE/PROV/0126 (c)-
2008.

7. K7/4210-000802 CHARGE
, Fire Ext Foam Liquid
Aqueous Film Forming Type
6 for Fire
Fighting in 20 Litre
Container
IND/CQAFE/PROV/0043(d)-
2008.

8. K7/4210-002877 CHARGE,
Fire Ext. Dry Powder 2
kg. Dry Chemical Powder 2
kg.
IND/CQAFE/PROV/0174-2002.

9. K7/4210-002879 CHARGE,
Fire Ext. Dry Powder 25
kg. Dry Chemical Powder
25 kg.
IND/CQAFE/PROV/0176-2002.

10. K7/4210-002880
CHARGE, Fire Ext. Dry
Powder 50 kg. Dry
Chemical Powder 50 kg.
IND/CQAFE/PROV/0177-2002.

11. K7/4210-002881

CHARGE, Fire Ext. Dry
Powder 75 kg. Dry
Chemical Powder 75 kg.
IND/CQAFE/PROV/0178-2002.

12. K7/4210-002837
CHARGE, Fire Ext. Dry
Powder 25 kg./50 Kg./75
kg. Carbon Dioxide
Gas Cylinder 2 kg.
IND/CQAFE/PROV/0179(a)-
2007 with amendment No.1.

13. K7/4210-002586
CHARGE, Fire Ext. Dry
Powder 2 kg. Carbon
Dioxide
Gas Cartridge 60 g.
IND/CQAFE/PROV/0173(a)-
2007 with amendment No.1.

14. K7/4210-002898
CHARGE, Fire Ext.
Mechanical Foam 9 Litr

3 Portable Fire
Extinguisher & Fire
Accessories As Per
Defence Specification

Specification :
Item No. Description &
spen.No No. Rate/Unit
1 K-7/4210-000227
Extinguisher Fire
Mechanical Foam 9 liters
Capacity(Without Charge)
Specn. No.(a)JSS-4210-09-
2007 (Rev. No. 2)With
amdt. No.1
(b) Annexure of Amdt.2
JSS:4210-09-2007
(Revision No.2)
(c)Connecting drawing No.
FESK-0066/B;FESK-0071/A

800 nos of
assotred items.

14-JUL-2016

2 K-7/4210 - 000041
Extinguisher Fire CO2
Water Type 9 liters
Capacity
High Pressure
type)(Without Charge
Specn. No.(a)JSS-4210-18-
2005 (Rev No. 1)With
amdt.no.1
(b) Connecting drawing
No. FESK-0066/B; Cost Rs.
155/-

3. K-7/4210 - 000582
Extinguisher Fire Water

Stored Air Pressure Type
9 ltr. capacity
IND/CFEES(DIFR)/009/03
(Fourth revision Jun.
2005)

4 K-7/4210-000159
Extinguisher Fire Carbon
Dioxide type 2 kg
capacity, Duly charged ,
portable
IND/CQAFE/PROV/0193-2005

5 K-7/4210-002436
Extinguisher Fire Carbon
Dioxide type 4.5 kg
capacity duly charged
portable
IND/CQAFE/PROV/0194-2005

6 K-7/4210-000040
Extinguisher Fire CO2
type 6.5 kg capacity
Single cylinder
trolley mounted specn.
No.IND/CQAFE/Prov/0184(a)
-2005

7. K-7/4210 - 000707
Extinguisher Fire CO2
type 22.5Kg
capacity,Trolley mounted
duly charged
Specn.No.
IND/CQAFE/PROV/0183(a)-
2005

8 K-7/4210 - 000621
Extinguisher Fire Dry
powder 2 kg capacity Duly
Charged,
specn.No.
IND/CQAFE/PROV/0182(a)-
2005

9 K-7/4210 - 000043
Extinguisher Fire Dry
Powder 10 Kg. Capacity
(Without Charge) Specn.
No.(a) JSS-4210-06-2006
(Revision No. 3)
(b) Connected drawing No.
FESK-0066/B Cost Rs.
155/-

10.K-7/4120 - 000228

Extinguisher Fire, Twin,
6.5 Kg., CO2, Portable,
Trolley Mounted, MK2,
specn. No.(a)JSS:4210-10-
2007:2009 (Rev.No.3) with
amdt. list No.1
(b) Annexure of
amendments to JSS:4210-
10: 2007:2009(Revision
No. 3)
(c) Connected drawing No.
FESK:0068,FESK-0069.

11.k-7/4120 - 002514
Extinguisher Fire Dry
Powder , 25 Kg. capacity
duly charged trolley
mounted
IND/CQAFE/Prov/0190(b)-
2008

12. K-7/4210-NIV
Ext.Fire CO2 Water Type
50 Ltrs. capacity Trolley
Mounted without charged
to
IS:13385 latest version &
addi

No. of items registered (work wise) : 3

* ANNEXURE Attached

S.No Works Name & Address

2 KRUNAL ENGINEERING WORKS

SURVEY NO.285, NEAR HINDALCO,
GANPATIPADA, KALWA(E), THANE
THANE

022-25373862

022-25413661

Validity :

Sales tax registration No.

Date :

CST registration No.

Date :

Excise Duty Registration No.

Authority

S.No Description of Stores

**Governing Specification/
Eligibility Criteria**

**Make/
Brand**

**Prod.Capacity/
Dt.of Approval**

No. of items registered (work wise) : 0

* ANNEXURE Attached

S.No Works Name & Address**Validity :****3 KRUNAL ENGGINEERING WORKS**

KRUNAL CMPOUND SARVE NO
285,GANPATI PADA,VITWA,KALWA EAST
THANE

022225348333

02225413661

Sales tax registration No. 27060551069V

Date : 12-JUN-2006

CST registration No. 27060551069C

Date : 12-JUN-2006

Excise Duty Registration No. ATZPS3148KEM001

Authority MUMBAI

S.No Description of Stores**Governing Specification/
Eligibility Criteria****Make/
Brand****Prod.Capacity/
Dt.of Approval**

No. of items registered (work wise) : 0

* ANNEXURE Attached

Copy to:

1. Director of Quality Assurance, [controlling officer]
2. Director of Supplies [concerned purchase Dte(s), DGS&D, New Delhi.
3. Director (Registration) / Director (MIS) DG (S&D), New Delhi
4. Guard Fil

Please Note:

1. This supersedes the earlier Registration Certificate if any
2. This registration is an indication of the capability of the registered firm. For further assurance on quality, the Purchasers are advised to avail the inspection services offered by the Quality Assurance Wing of DGS&D.
3. Authenticity of this certificate can be verified by the government indentors and purchasers
4. Onus for verification of the firm's ITCC before award of Contract will rest with the purchaser.

ANNEXURE

krunal engineering works
krunal compound sarve no 285,ganpati pada,vitawa,kalwa east

thane

02253483333

0225413661

Portable Fire Extinguishers As Per IS Specification

Limiting Size / Grade / Type

1	Type of Extinguishing Capacity	Min. Class A	Min. Class B	Design
	medium	Fire Rating	Fire Rating	
	Powder	1Kg 1A	8 B	Stored Pressure
2	Type of Extinguishing Capacity	Min. Class A	Min. Class B	Design
	medium	Fire Rating	Fire Rating	
	Powder	2 Kg 1A	8 B	Stored Pressure
3	Type of Extinguishing Capacity	Min. Class A	Min. Class B	Design
	medium	Fire Rating	Fire Rating	
	Powder	4 Kg 1A	13 B	Stored Pressure
4	Type of Extinguishing Capacity	Min. Class A	Min. Class B	Design
	medium	Fire Rating	Fire Rating	
	Powder	4 Kg 1A	13 B	Cartridge
5	Type of Extinguishing Capacity	Min. Class A	Min. Class B	Design
	medium	Fire Rating	Fire Rating	
	Powder	6 Kg 2A	21 B	Stored Pressure
6	Type of Extinguishing Capacity	Min. Class A	Min. Class B	Design
	medium	Fire Rating	Fire Rating	
	Powder	6 Kg 2A	21 B	Cartridge
7	Type of Extinguishing Capacity	Min. Class A	Min. Class B	Design
	medium	Fire Rating	Fire Rating	
	Powder	9 Kg 3A	34 B	Stored Pressure
8	Type of Extinguishing Capacity	Min. Class A	Min. Class B	Design
	medium	Fire Rating	Fire Rating	
	Powder	9 Kg 3A	34 B	Cartridge
9	Type of Extinguishing Capacity	Min. Class A	Min. Class B	Design
	medium	Fire Rating	Fire Rating	
	Clean Agent	2 Kg ---	8 B	Stored Pressure
10	Type of Extinguishing Capacity	Min. Class A	Min. Class B	Design
	medium	Fire Rating	Fire Rating	
	Clean Agent	4 Kg 1A	13 B	Stored Pressure
11	Type of Extinguishing Capacity	Min. Class A	Min. Class B	Design
	medium	Fire Rating	Fire Rating	
	Water	6 Ltr 2A	---	Stored Pressure
12	Type of Extinguishing Capacity	Min. Class A	Min. Class B	Design
	medium	Fire Rating	Fire Rating	
	Water	6 Ltr 2A	---	Cartridge
13	Type of Extinguishing Capacity	Min. Class A	Min. Class B	Design
	medium	Fire Rating	Fire Rating	
	Water	9 Ltr 3A	---	Stored Pressure
14	Type of Extinguishing Capacity	Min. Class A	Min. Class B	Design
	medium	Fire Rating	Fire Rating	
	Water	9 Ltr 3A	---	Cartridge
15	Type of Extinguishing Capacity	Min. Class A	Min. Class B	Design
	medium	Fire Rating	Fire Rating	
	Foam	6 Ltr 2A	21 B	Stored Pressure

16	Type of Extinguishing medium	Capacity	Min. Class A	Min. Class B	Design
	Foam	6 Ltr	2A	21 B	Cartridge
17	Type of Extinguishing medium	Capacity	Min. Class A	Min. Class B	Design
	Foam	9 Ltr	3A	34 B	Stored Pressure
18	Type of Extinguishing medium	Capacity	Min. Class A	Min. Class B	Design
	Foam	9 Ltr	3A	34 B	Cartridge
19	Type of Extinguishing medium	Capacity	Min. Class A	Min. Class B	Design
	Carbon Dioxide	2 Kg	---	8 B	Stores Pressure

Charge of Fire Extinguishers As Per Defence Specification

Limiting Size / Grade / Type

1	CAT /PART NO.K-7 / 421 Charge Fire Extinguisher	Capacity			
	0 - TYPE -				
	001121	Mech. Foam 9 Ltrs, (AFFF-550 Ml)			9 Ltrs
2	CAT /PART NO.K-7 / 421 Charge Fire Extinguisher	Capacity			
	0 - TYPE -				
	000021	Dry Powder			10 Kg
3	CAT /PART NO.K-7 / 421 Charge Fire Extinguisher	Capacity			
	0 - TYPE -				
	000546	Water Type, (Gas Pressure), CO2 Gas Cartridge			90 Gm
4	CAT /PART NO.K-7 / 421 Charge Fire Extinguisher	Capacity			
	0 - TYPE -				
	001126	Mech. Foam, CO2 Gas Cartridge			120 Gm
5	CAT /PART NO.K-7 / 421 Charge Fire Extinguisher	Capacity			
	0 - TYPE -				
	000022	Dry Powder, CO2 Gas Cartridge			200 Gm
6	CAT /PART NO.K-7 / 421 Charge Fire Extinguisher	Capacity			
	0 - TYPE -				
	000744	Foam Protein			20
	Litre				
7	CAT /PART NO.K-7 / 421 Charge Fire Extinguisher	Capacity			
	0 - TYPE -				
	000802	Film Forming Type 6			20
	Litre				
8	CAT /PART NO.K-7 / 421 Charge Fire Extinguisher	Capacity			
	0 - TYPE -				
	002877	Dry Chemical Powder			2 Kg
9	CAT /PART NO.K-7 / 421 Charge Fire Extinguisher	Capacity			
	0 - TYPE -				
	002879	Dry Chemical Powder			25 Kg
10	CAT /PART NO.K-7 / 421 Charge Fire Extinguisher	Capacity			
	0 - TYPE -				
	002880	Dry Chemical Powder			50 Kg
11	CAT /PART NO.K-7 / 421 Charge Fire Extinguisher	Capacity			

0 - TYPE -		
002881	Dry Chemical Powder	75 Kg
12	CAT /PART NO.K-7 / 421 Charge Fire Extinguisher	
	Capacity	
0 - TYPE -		
002837	Dry Powder	2 Kg
13	CAT /PART NO.K-7 / 421 Charge Fire Extinguisher	
	Capacity	
0 - TYPE -		
002586	Dry Powder	60 gm
14	CAT /PART NO.K-7 / 421 Charge Fire Extinguisher	
	Capacity	
0 - TYPE -		
002898	Mech. Foam	9 Ltrs

Portable Fire Extinguisher & Fire Accessories As Per Defence Specification

Limiting Size / Grade / Type

1	CAT Part No. Type	Capacity
	K-7/4120	
	000227 Mechanical Foam (Without Charge)	9 Ltrs
2	CAT Part No. Type	Capacity
	K-7/4120	
	000041 CO2 Water Type (High Pressure) (Without Charge)	9 Ltrs
3	CAT Part No. Type	Capacity
	K-7/4120	
	000582 Water Stored Air Pressure Type	9 Ltrs
4	CAT Part No. Type	Capacity
	K-7/4120	
	000159 CO2 Type (Portable)	2 Kg
5	CAT Part No. Type	Capacity
	K-7/4120	
	002436 CO2 Type (Portable)	4.5 Kg
6	CAT Part No. Type	Capacity
	K-7/4120	
	000040 CO2 Type (Trolley Mounted) Single Cylinder	6.5 Kg
7	CAT Part No. Type	Capacity
	K-7/4120	
	000707 CO2 Type (Trolley Mounted) Duly Charged	22.5 Kg
8	CAT Part No. Type	Capacity
	K-7/4120	
	000621 Dry Powder	2 Kg
9	CAT Part No. Type	Capacity
	K-7/4120	
	000043 Dry Powder (Without Charge)	10 Kg
10	CAT Part No. Type	Capacity
	K-7/4120	
	000228 CO2 Twin Type, MK2 (Portable Trolley Mounted)	6.5 Kg
11	CAT Part No. Type	Capacity
	K-7/4120	
	002514 Dry Powder Duly Charged Trolley Mounted	25 Kg
12	CAT Part No. Type	Capacity
	K-7/4120	
	NIV Ext. Fire CO2 Water Type Trolley Mounted	50 Ltrs
13	CAT Part No. Type	Capacity
	K-7/4120	
	NIV Ext. Fire Mechanical Foam Trolley Mounted Without	50 Ltrs
14	CAT Part No. Type	Capacity
	K-7/4120	
	000003 Beater Fire MK-3	---

15	CAT Part No. Type	Capacity
	K-7/4120	
	000018 Bucket Fire	---
16	CAT Part No. Type	Capacity
	K-7/4120	
	000166 Hook Fire	3.5 mtr
17	CAT Part No. Type	Capacity
	K-7/4120	
	000751 Ext. Fire Dry Powder Duly charged Trolley Mounted	75 Kg
18	CAT Part No. Type	Capacity
	K-7/4120	
	002437 Ext. Fire Dry Powder Duly charged Trolley Mounted	50 Kg

KRUNAL ENGINEERING WORKS

**SURVEY NO.285, NEAR HINDALCO, GANPATIPADA,
KALWA(E), THANE**

THANE

022-25373862

022-25413661

KRUNAL ENGGINEERING WORKS

**KRUNAL CMPOUND SARVE NO 285,GANPATI
PADA,VITWA,KALWA EAST**

THANE

022225348333

02225413661

Conditions of Registration

1. Registered firms are to abide by the General Conditions of contracts contained in DGS&D-68 (revised and DGS&D-1001 from time to time).
2. It is obligatory on the part of the registered firms to furnish performance statement in format prescribed in the Application Form every year indicating all orders placed on them.
3. Registered firms are required to keep Registering Authority informed about the changes in any of the particulars furnished by them in their application or in their product specification or discontinuation of production of any item for which they stand registered. This intimation is to be given within a period of 15 days from the date of such change or discontinuation.
4. Registered firms are required to furnish all the documents having specific validity periods like BIS license, lease agreement, agreement with the principal/manufactures to registering authority as and when they become due. Separate application shall be made for such unit, where firm has more than one manufacturing units. Requests for change in the of a firm and/or their office address should be addressed to the Registration office/centre who granted the documentary evidence. In the event of any change in the constitution of the firm or in the location of their manufacturing works, the registration with DGS&D shall lapse. The firm should surrender the original registration certificate in such cases and apply for registration afresh.
5. In cases where stores are manufactured by a firm other than the supplier, the manufacturer has given a back up warranty for the stores supplied. It will be responsibility of the supplier/manufacturer (both in case they are different) to ensure availability of spares for at least period of 7 years after the date of supply.
6. All registered firms are expected to maintain absolute integrity, follow a decent standard of business ethics and do nothing unbecoming of a registered supplier.
7. Fresh application with prescribed fee shall be required to be made after expiry of previous registration or for seeking additional registration/change of specification.
8. DGS&D registration is one of the requirements for the suppliers to participate in DGS&D tenders. The tenders may stipulate other requirements/eligibility criteria which are also required to be compelled with.
9. The registration on the approved list does not guarantee award of any contract. In their quotation against tenders, registered firms are to quote their registration number, along with clear statement that the tenderer is registered for that particular store with DGS&D.
10. In all future correspondence with the Registration Branch/Registering Authority of DGS&D, approved vendors are always required to quote the Registration No. given at the top of the registration letter.
11. Whenever registered firms are required to produce copy of their registered certificate copy of the original certificate complete with all the amendments including additions/deletions is made their after shall be produced.
12. The Government has right to add/delete any of the items and to amend any of the terms and conditions included in the registration granted to the firms with effect from any date specified in the communication
13. Failure to abide by the conditions of registration as above on any of the other grounds as listed under Para 5.17.2 of DGS&D Manual being applicable, name of a registered firm liable to be removed from the list of approved suppliers of DGS&D